



**TECHNICAL DATA SHEET**  
**Sac Val Janitorial Supply Co.**

**Product Name:**

**Item Number: 0076 A00810**

**Description:** An economical, easy to use method of removing dust from any surface, this product treats dust mops, cloths and soft bristle push brooms. A light, moist spraying of dust mop treatment enables mops and cloths to attract and hold dust just as a magnet picks up iron filings.

Dust and dirt are not just pushed around, but are held in the mop or cloth until a gentle shake releases the particles in the disposal area. Dusting with this product cleans and polishes furniture, plastic, painted and formica surfaces. When replacing filters on heating and air conditioning systems, spray the filters before putting in place. This will reduce the amount of dust which again becomes airborne.

**Health Hazard Data:** Contains petroleum distillate. Harmful or fatal if swallowed. If swallowed, do not induce vomiting. Call physician immediately. Do not use near heat or open flame. Use with adequate ventilation. Do not puncture or incinerate container. Do not expose to temperatures above 120°F.

**KEEP OUT OF REACH OF CHILDREN.**

**Spill or Leakage Procedures:** Remove ignition sources. Do not flush to sewer. Absorb on suitable material and incinerate or landfill according to local, state and federal regulations.

Aerosol cans when vented to atmospheric pressure through normal use, pose no disposal hazard.

**Product Specifications:**

Wt./20oz. can: 18 Ounces

USDA Category: N/A

Classification: Aerosol Dust Mop Treatment

General Appearance: White Creamy Spray

Color: White

Odor: Pine

pH: 7.0

Vapor Pressure At 70°F: 40 psig

Spray Pattern: Wide Oval

Flammability: Not Flammable per

CPSC Flame Projection Test

NFPA Code 30B: Level 2

1/93

**IDENTITY AND DISTRIBUTOR'S INFORMATION**

NFPA Rating: <b>Health-2; Flammability-2; Reactivity-0; Special-0</b>	HMIS Rating: <b>Health-2; Flammability-2; Reactivity-0; Personal Protection-B</b>
Manufactured For: Address:	DOT Hazard Classification: <b>ORM-D</b> Identity ( <b>Dust Mop Treatment</b> ):
Phone:	MSDS Number: <b>0076 A00810 Revision-9</b>
Emergency Response Number: NOTICE: JUDGEMENT BASED ON INDIRECT TEST DATA	Date Prepared: <b>06/08/00</b> Prepared By: <b>CH</b> Information Calls: <b>(770)422-2071</b>

**SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION**

COMPONENTS-CHEMICAL NAMES AND COMMON NAMES (Hazardous Components 1% or greater; Carcinogens 0.1% or greater)	CAS Number	SARA III LIST	OSHA PEL (ppm)	ACGIH TLV (ppm)	Carcinogen Ref. Source **
PETROLEUM DISTILLATE	<b>8052-41-3</b>	<b>No</b>	<b>500</b>	<b>100</b>	<b>d</b>
ISOBUTANE	<b>75-28-5</b>	<b>No</b>	<b>800</b>	<b>800</b>	<b>d</b>
PETROLEUM DISTILLATE	<b>64742-54-7</b>	<b>No</b>	<b>5mg/M</b> <b>3</b>	<b>5mg/M</b> <b>3</b>	<b>d</b>

**SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS**

Boiling Point: <b>N/A</b>	Specific Gravity (H2O=1): <b>Concentrate Only = 0.910</b>
Vapor Pressure: <b>PSIG @ 70°F (Aerosols): Max. 60</b>	Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): <b>N/A</b>
Vapor Density (Air = 1): <b>N/E</b>	Evaporation Rate ( = 1): <b>N/E</b>
Solubility in Water: <b>Emulsifiable</b>	Water Reactive: <b>No</b>
Appearance and Odor: <b>White, creamy spray with pine fragrance.</b>	

**SECTION 3 - FIRE AND EXPLOSION HAZARD DATA**

<b>FLAMMABILITY as per USA FLAME PROJECTION TEST (aerosols) NON-FLAMMABLE</b>	<b>Auto Ignition Temperature N/E</b>	<b>Flammability Limits in Air by % in Volume: % LEL: N/E % UEL: N/E</b>
FLASH POINT AND METHOD USED (non-aerosols): <b>N/A</b>	EXTINGUISHER MEDIA: <b>Foam, dry chemical, carbon dioxide, water.</b>	
SPECIAL FIRE FIGHTING PROCEDURES: <b>Self-contained breathing apparatus.</b>	Unusual Fire & Explosion Hazards: <b>Do not expose aerosols to temperatures above 130°F or the container may rupture.</b>	

**SECTION 4 - REACTIVITY HAZARD DATA**

STABILITY <input checked="" type="checkbox"/> STABLE <input type="checkbox"/> UNSTABLE	HAZARDOUS POLYMERIZATION <input type="checkbox"/> WILL <input checked="" type="checkbox"/> WILL NOT OCCUR
Incompatibility (Mat. to avoid): <b>Strong oxidizers.</b>	Conditions to Avoid: <b>Open flame, welding arcs, heat, sparks.</b>
Hazardous Decomposition Products: <b>CO, CO2.</b>	

**SECTION 5 - HEALTH HAZARD DATA**

PRIMARY ROUTES OF ENTRY: <input checked="" type="checkbox"/> INHALATION <input type="checkbox"/> INGESTION <input checked="" type="checkbox"/> SKIN ABSORPTION <input type="checkbox"/> EYE <input type="checkbox"/> NOT HAZARDOUS
ACUTE EFFECTS: Inhalation: <b>Excessive inhalation of vapors can be harmful and may cause headache, dizziness, weakness, fatigue, anesthetic effects and possible unconsciousness.</b>
Eye Contact: <b>Irritation</b> Skin Contact: <b>Irritation, Defatting, Redness</b>
Ingestion: <b>Possible chemical pneumonitis if aspirated into lungs. Nausea, Vomiting, diarrhea, central nervous system depression.</b>
CHRONIC EFFECTS: (Effects due to excessive exposure to the raw materials of this mixture) <b>May cause skin burns, asthma like symptoms. Aspiration hazard.</b>
Medical Conditions Generally Aggravated by Exposure: <b>May aggravate existing eye, skin, or upper respiratory conditions.</b>

**EMERGENCY FIRST AID PROCEDURES**

Eye Contact: <b>Flush with water for 15 minutes. If irritated, seek medical attention.</b>
Skin Contact: <b>Wash with soap and water. If irritated, seek medical attention.</b>
Inhalation: <b>Remove to fresh air. Resuscitate if necessary. Get medical attention.</b>
Ingestion: <b>DO NOT INDUCE VOMITING. Aspiration hazard. Get immediate medical attention.</b>

**SECTION 6 - CONTROL AND PROTECTIVE MEASURES**

Respiratory Protection (specify type): <b>If vapor concentration exceeds TLV, use respirator approved by U.S. Bureau of Mines for organic vapor.</b>
Protective Gloves: <b>Latex, if skin easily irritated.</b> Eye Protection: <b>Safety glasses recommended.</b>
Ventilation Requirements: <b>Adequate ventilation to keep vapor concentration below TLV.</b>
Other Protective Clothing & Equipment: <b>None</b>
Hygienic Work Practices: <b>Wash with soap and water before handling food. Remove contaminated clothing.</b>

**SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE**

Steps To Be Taken If Material Is Spilled Or Released: <b>Absorb with suitable medium. Incinerate or landfill according to local, state or Federal regulations. DO NOT FLUSH TO SEWER.</b>
Waste Disposal Methods: <b>Aerosol cans when vented to atmospheric pressure through normal use, pose no disposal hazard.</b>
Precautions To Be Taken In Handling & Storage: <b>Do not puncture or incinerate containers. Do not store at temperatures above 130°F.</b>
Other Precautions &/or Special Hazards: <b>KEEP OUT OF REACH OF CHILDREN. Avoid food contamination. Remove ignition sources. Avoid prolonged breathing of spray mist.</b>